

PAPILIO PERSEUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatæ.

Alæ (sedentis) erectæ sursumque connientes,
(volatu diurno.)

Lin. Syst. Nat. p. 774.

CHARACTER SPECIFICUS, &c.

PAPILIO alis pallide cæruleis apice atris ferrugineo maculatis, subtus undatis: ocellis tribus quatuorque.

Lin. Syst. Nat. Gmel. p. 2245.


Fab. sp. ins. 2. p. 24.

Eq. Achiv.

Seb. mus. 4. t. 17. f. 13. 14. & t. 18. f. 15. 16.

Cram. pap. 6. t. 71. f. A. B.

Inter papiliones Americanos eminet P. Perseus, cuius veram magnitudinem ostendit tabula. In Americæ Australis regionibus calidioribus præcipue conspicitur.





R.N.

London Published March 1st 1804 by F. & G. Newmⁿ & Son.

PERSEUS.



GENERIC CHARACTER.

Antennæ thickening towards the upper part,
and generally terminating in a clavated tip.

Wings (when sitting) erect, and meeting up-
wards. (*Flight diurnal.*)

SPECIFIC CHARACTER, &c.

BUTTERFLY with pale-blue glossy wings,
blackish and spotted with ferruginous to-
wards the edges: beneath undulated and
marked with two or three ocellated spots.

Seb. 4. t. 17. 18.

Cram. 6. t. 71. A. B.

The Papilio Perseus may be considered as one of the most elegant of the American Butterflies. It is represented on the plate in its natural size, and is principally found in the hotter regions of South America.